

IN THE CLAIMS

1. [Currently amended]

A wireless communication system comprising:

a first base station set operable to wirelessly transmit across a first geographic range;

a second base station set operable to wirelessly transmit across a second geographic range;

a subscriber device operable to wirelessly receive a first identifier from said first base station set when said device is in said first geographic range and to receive a second identifier from said second base station set when said device is in said second geographic range; and

said device operable to store a location that is associated with each said identifier, said device further operable to maintain a first event associated with said first geographic range, such that when said device is in said second geographic range a second event is performed based on a relationship between said second geographic range and said first geographic range.

2. [Original] The wireless communication system of claim 1, wherein said subscriber device is selected from the group consisting of a cell phone, a smart telephone and a laptop computer connected to a wireless network.

3. [Original] The wireless communication system of claim 1, wherein at least one of said first base station set and said second base station set comprises only one base station.

4. [Currently amended] The wireless communication system of claim 1, wherein said system includes at least one additional base station set operable to wirelessly transmit across an additional geographic range respective thereto; said subscriber device operable to wirelessly receive an additional identifier from said at least one additional base station set when said device is in said additional geographic range; said device operable to store a user-defined location that is associated with each said additional identifier; said device further operable, when said device is in said additional geographic range, to perform said second event based on a relationship between said additional geographic range and said first geographic range.

5. [Cancelled] ~~The wireless communication system of claim 1, wherein said device is further operable to store an event that is associated with at least one of said geographic range, said device further operable to perform said event when said device enters said at least one geographic range.~~

6. [Cancelled] ~~The wireless communication system of claim 5 wherein said event is a task having a location notification associated therewith, such that a reminder to perform~~

~~said task is generated when said device enters one of said geographic ranges associated with said location notification.~~

7. [Original] The wireless communication system of claim 1, wherein said device is operable to store at least one additional location that is associated with each said identifier.

8. [Original] The wireless communication system of claim 1, wherein said location is user-defined.

9. [Currently Amended] A wireless subscriber device for use in a wireless system having a first base station set operable to wirelessly transmit across a first geographic range and a second base station set operable to wirelessly transmit across a second geographic range, said device comprising:

a microcomputer operable to wirelessly receive a first identifier from said first base station set when said device is in said first geographic range and to receive a second identifier from said second base station set when said device is in said second geographic range; and

said microcomputer operable to store a location that is associated with each said identifier, said microcomputer further operable to maintain a first event associated with said first geographic range, such that when said device is in said second geographic range, a second event is performed based on a relationship between said second geographic range and said first geographic range.

10. [Original] The wireless subscriber device of claim 9, wherein said subscriber device is selected from the group consisting of a cell phone, a smart telephone and a laptop computer connected to a wireless network.

11. [Cancelled] ~~The wireless subscriber device of claim 9, wherein said microcomputer is further operable store an event that is associated with at least one of said geographic range, said device further operable to perform said event when said device enters said at least one geographic range.~~

12. [Cancelled] ~~The wireless subscriber device of claim 11 wherein said event is a task having a location notification associated therewith, such that a reminder to perform said task is generated when said device enters one of said geographic ranges associated with said location notification.~~

13. [Original] The wireless subscriber device of claim 9 wherein said location is user-defined.

14. [Original] The wireless subscriber device of claim 9 wherein said identifier is unique combination of base station IDs that are emitted by each base station in said base station set.

15. [Currently Amended] In a wireless subscriber device for use in a wireless system having a first base station set operable to wirelessly transmit across a first geographic range and a second base station set operable to wirelessly transmit across a second geographic range, a method for compiling a list of locations performing an action comprising the steps of:

receiving an first identifier from a said first set of base stations set when said device is in a said first geographic range throughout which said set of base stations wirelessly transmits;

receiving a second identifier from said second base station set when said device is in said second geographic range determining if identifier is included in said list and adding said identifier to said list of locations if said identifier is not in said list;

storing a location that is associated with each said identifier;

maintaining a first event associated with said first geographic range; and

performing a second event when said device is in said second geographic range based on a relationship between said second geographic range and said first geographic range;

16. [Original] The method of claim 15 further comprising the step of:

receiving user input renaming a location associated with said identifier;

17. [Original] The method of claim 15 further comprising the step of:
displaying a name assigned to said location when said device is in a geographic range respective to said location;

18. [Cancelled] ~~The method of claim 15 further comprising the step of:~~

~~performing an event associated with one of said locations when said device is in a geographic range respective to said location;~~

19. [Currently Amended] A computer-readable storage medium containing a set of instructions for an electronic device, for use in a wireless system that has a first base station set operable to wirelessly transmit across a first geographic range and a second base station set operable to wirelessly transmit across a second geographic range, the set of instructions characterized by the steps of:

receiving an first identifier from a said first set of base stations set when said device is in a said first geographic range throughout which said set of base stations wirelessly transmits; and;

receiving a second identifier from said second base station set when said device is in said second geographic range; determining if identifier is included in said list and adding said identifier to said list of locations if said identifier is not in said list.

storing a location that is associated with each said identifier,

maintaining a first event associated with said first geographic range; and

performing a second event when said device is in said second geographic range based on a relationship between said second geographic range and said first geographic range.

20. [New] The wireless communication system of claim 1 wherein said device is further operable to perform said second event in advance of a timing of said first event.
21. [New] The wireless communication system of claim 1 wherein said second event includes a warning of an upcoming appointment to a user.
22. [New] The wireless communication system of claim 1 wherein said second event includes issuing a travel time estimate to a user.
23. [New] The wireless subscriber device of claim 9 wherein said microcomputer is further operable to perform said second event in advance of a timing of said first event.
24. [New] The wireless subscriber device of claim 9 wherein said second event includes a warning of an upcoming appointment to a user.
25. [New] The wireless subscriber device of claim 9 wherein said second event includes issuing a travel time estimate to a user.
26. [New] The wireless subscriber device of claim 9 wherein said microcomputer is further operable to store at least one additional location that is associated with each said identifier.
27. [New] The method of claim 15 wherein said second event is performed in advance of a timing of said event.
28. [New] The method of claim 15 wherein said second event includes issuing a warning of an upcoming appointment to a user.
29. [New] The method of claim 15 wherein said second event comprises issuing a travel time estimate to a user.
30. [New] A wireless communication system comprising:

a first base station set operable to wirelessly transmit across a first geographic range;

a second base station set operable to wirelessly transmit across a second geographic range;

a subscriber device operable to wirelessly receive a first identifier from said first base station set when said device is in said first geographic range and to receive a second identifier from said second base station set when said device is in said second geographic range; and

said device operable to store a location that is associated with each said identifier, said device further operable to maintain an appointment associated with said first geographic range, such that when said device is in said second geographic range a reminder is generated for said appointment at a time prior said appointment, said time being substantially equal to an expected travel time from said second geographic range to said first geographic range.